

American Board of Ophthalmology Office Record Review Module

Diagnosis/Case: Subacute or Chronic Angle-Closure Glaucoma

Module Definition: A patient with any form of angle-closure with or without a history of an acute attack. The patient was followed by you for a minimum of six months and seen by you at least once in the past 24 months; with or without angle, disc and/or visual field injury secondary to angle-closure.

History (Positive or Negative Findings)

Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1. Reason for visit/chief complaint
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Ocular history/ symptoms
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. Family history of glaucoma
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Systemic disorders
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Current ocular medications
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6. Systemic medications
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	7. Drug reactions/allergies
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Refractive error

Examination and Diagnostic Procedures

Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1. Visual acuity
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Refraction
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. External examination
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Pupillary examination
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Intraocular pressure (IOP)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6. Slit-lamp examination
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	7. Gonioscopy, including compression gonioscopy
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Disc/fundus examination
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Visual fields

Diagnostic Techniques

Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	Tonometer used to measure IOP:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1. Goldmann
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Tono-Pen

<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. Other
			Gonioscopy lens used:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Single or 3-mirror (Goldmann)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. 4-mirror (Zeiss/Posner/Sussman)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6. Koeppe
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	7. Other lenses
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Other instruments
			Technique used for disc/fundus examination:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Indirect (90D, 60D lens, etc.)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Hruby lens
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	10. Indirect ophthalmoscope (20D or 28D lens)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	11. Direct ophthalmoscope
			Method used to document visual fields:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12. Automated bowl
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	13. Manual bowl
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	14. Tangent screen
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	15. Other

Assessment and Management			
Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>		1. Current diagnosis
<input type="radio"/>	<input type="radio"/>		2. Current treatment plan
<input type="radio"/>	<input type="radio"/>		3. Evaluation of the fellow eye
<input type="radio"/>	<input type="radio"/>		4. Counseling on glaucoma
<input type="radio"/>	<input type="radio"/>		5. Informed consent process

Management Techniques			
Recorded	Not Recorded	Not Applicable	Item
			Medication(s) used to control IOP:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1. Alpha -2 agonists
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Beta-blockers
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. Carbonic anhydrase inhibitors
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Prostaglandin analogues
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Hyperosmotic agents
			Procedures used to treat angle-closure:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6. Paracentesis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	7. Laser iridotomy
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Iridoplasty
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Surgical iridectomy
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	10. Goniosynechialysis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	11. Filtration or drainage device surgery
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12. Cataract (or clear lens extraction)

Follow-Up			
Recorded	Not Recorded	Not Applicable	Item
			At each follow-up visit:
<input type="radio"/>	<input type="radio"/>		1. Visual acuity
<input type="radio"/>	<input type="radio"/>		2. Intraocular pressure
<input type="radio"/>	<input type="radio"/>		3. Reason for visit/interval history
<input type="radio"/>	<input type="radio"/>		4. Interval to next examination
			At one or more follow-up visits:
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Treatment of the fellow eye
<input type="radio"/>	<input type="radio"/>		6. Iridotomy/iridectomy open (functional) in presenting and fellow eye
<input type="radio"/>	<input type="radio"/>		7. Gonioscopy (if angle not 100% closed)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. Optic nerve evaluation
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Discussion of possible side effects
<input type="radio"/>	<input type="radio"/>		10. Therapeutic compliance
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	11. Pulse check (if on beta-blockers)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12. Visual fields
<input type="radio"/>	<input type="radio"/>		13. Slit-lamp examination

Safety and Environment			
Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	1. Nd:YAG alignment and parfocality with operator's refractive error documented before use
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Safety goggles used, especially if Argon laser is utilized during a combined Argon-YAG iridectomy
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. Laser lens surfaces are dry, clean, and free of defects