

American Board of Ophthalmology Office Record Review Module

Diagnosis/Case: Adult Acquired Blepharoptosis (Surgical Management)

Module Definition: A patient 18 years or older with acquired blepharoptosis, operated on by you in the past 24 months, and had at least one short-term (within 14 days post-op) and one long-term (90 days or longer) follow-up examination.

Preoperative Evaluation

History: Positive or Negative Findings

Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>		1. Reason for visit/chief complaint
<input type="radio"/>	<input type="radio"/>		2. Ocular history/symptoms
<input type="radio"/>	<input type="radio"/>		3. Onset of ptosis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Variability/ constancy of ptosis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Family history of ocular/lid/medical conditions
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	6. History of previous lid/orbit/facial/sinus surgery or trauma
<input type="radio"/>	<input type="radio"/>		7. History of diplopia
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	8. History of contact lens wear
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Systemic disorders
<input type="radio"/>	<input type="radio"/>		10. Ocular medications
<input type="radio"/>	<input type="radio"/>		11. Systemic medications
<input type="radio"/>	<input type="radio"/>		12. Drug reactions/allergies

Examination and Surgical Decision

<input type="radio"/>	<input type="radio"/>		13. Visual acuity
<input type="radio"/>	<input type="radio"/>		14. Ocular alignment and motility
<input type="radio"/>	<input type="radio"/>		15. Pupillary examination
<input type="radio"/>	<input type="radio"/>		16. Dilated examination of the fundus
<input type="radio"/>	<input type="radio"/>		17. Eyelid fissure measurements and/or margin-reflex distance measurement
<input type="radio"/>	<input type="radio"/>		18. Eyelid crease measurement
<input type="radio"/>	<input type="radio"/>		19. Levator function measurement
<input type="radio"/>	<input type="radio"/>		20. Eyelid position on downgaze
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	21. Tensilon or phenylephrine test
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	22. Ptosis visual fields with and without tape
<input type="radio"/>	<input type="radio"/>		23. Slit-lamp examination of lids, tear film, conjunctiva, cornea, anterior chamber, and lens
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	24. Comment regarding brow position
<input type="radio"/>	<input type="radio"/>		25. Intraocular pressures
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	26. Eyelid fatigue, eyelid twitch sign, acetylcholine receptor antibody testing, tensilon test

<input type="radio"/>	<input type="radio"/>		27. External photographs and visual fields with and without eyelid taping
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	28. Examination of old photos
<input type="radio"/>	<input type="radio"/>		29. Schirmer test/assessment of tear status
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	30. Comment regarding dermatochalasis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	31. Inspection for synkinesis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	32. Presence of contralateral lid retraction
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	33. Presence of lagophthalmos
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	34. Presence of Bell's phenomenon
Assessment			
<input type="radio"/>	<input type="radio"/>		35. Current diagnosis
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	36. Treatment plan
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	37. Indication(s) for non-medically necessary (cosmetic) surgery
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	38. Indication(s) for medically necessary surgery
<input type="radio"/>	<input type="radio"/>		39. Informed consent

Surgical Intervention			
Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>		1. Summary of operation
<input type="radio"/>	<input type="radio"/>		2. Preoperative and postoperative diagnosis

Postoperative Care			
Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>		1. Description of post-operative instructions to patient
<input type="radio"/>	<input type="radio"/>		2. Visual acuity
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	3. Motility
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	4. Eyelid excursion
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	5. Lid fissure measurements/ description
<input type="radio"/>	<input type="radio"/>		6. External photographs
<input type="radio"/>	<input type="radio"/>		7. Slit-lamp exam of cornea
<input type="radio"/>	<input type="radio"/>		8. Subjective comments (improvement in chief complaint)
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	9. Status of incision
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	10. Specific complications
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	11. Remedies for complications
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	12. Postoperative eyelid height and contour adjustment performed
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	13. First post-operative visit within 1-2 weeks
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	14. Post-operative visit within 90 days
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	15. Re-operation performed

Safety and Environment

Recorded	Not Recorded	Not Applicable	Item
<input type="radio"/>	<input type="radio"/>		1. Universal protocol
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	2. Cosmetic vs. functional